1994-95 NATIONAL HEALTH INTERVIEW SURVEY - DISABILITY

pays attention to things of interest for a minute

happy when sees favorite people

walk rapidly without holding on

crawled or crept

sit upright without leaning

shows what wants by using actions or words

frequently confused, disoriented or forgetful

serious difficulty learning how to do things

problems or delays in understanding things

significant problem with paying attention

trouble concentrating enough to complete tasks

Alzheimer's

delay in emotional or behavioral development

frequently depressed or anxious

phobias or strong fears

paranoid or delusional disorder

anti-social personality

obsessive/compulsive personality

manic episodes or manic depression

bipolar disorder

take medications

difficulty seeing

legally blind

telescopic lenses

Braille

readers

guide dog

white cane

hearing aid

trouble hearing in normal conversation

ring, roaring, buzzing in the ears

dizziness

problem with balance

problem with sense of taste

problem with sense of smell

difficulty understanding other people when they talk or ask questions

difficulty communicating

difficulty coping with day-to-day stress

talks in sentences

difficulty using telephone

need help to use telephone

paid caregiver

unpaid caregiver

difficulty bend down to pick up object

difficulty stooping, crouching or kneeling

difficulty sitting for 2 hours

difficulty standing for 20 minutes

stay in bed most of the time

stay in chair most of the time

difficulty lifting 10 pounds

difficulty carrying 25 pounds

difficulty holding pen or pencil

difficulty using fingers to grasp or handle

difficulty reaching overhead or out

is walking painful

difficulty waling 1/4 mile

move around the house or apartment

get around inside

difficulty getting outside

use special equipment or aids getting outside

unable to go places you wanted to go for fun/recreation because no transportation

miss a doctor appointment because unable to get there

run out of food because no transportation

experience discomfort because not able to bathe often

wet or soil yourself because had no help

standby help dressing

special equipment when dressing

difficulty chewing, swallowing, digesting

lost weight even though not on a diet

use special equipment or aids when eating

difficulty managing medications

miss a meal because unable to shop

unable to follow special diet because needed help shopping

difficulty preparing meals

heavy housework

light housework

significant problem with controlling behavior

significant problem with following rules

trouble making/keeping friends

attend school or camp for children with special needs

receiving special education services

have an Individual Education Plan (IEP)

significant problem with understanding instructional materials

significant problem paying attention

significant problem following rules

significant problem controlling behavior

significant problem communicating with teacher or students

difficulty managing money

consider yourself or anyone in your family to have a disability

would other people consider you to have a disability

would other people consider specified family member to have a disability doing enough social activities

ever play make-believe

participate in strenuous activity

get together socially with friends or neighbors

have court-appointed legal guardian

have a case manager

received equipment or services though vocational rehabilitation

received occupational therapy

received special education services

received services from mental health community support program

medical procedures done at home

physical or occupational therapy

go to counselor, psychiatrist, psychologist or social worker regularly

receive Early Intervention Services

on waiting list for services

sheltered workshop

transitional work training

supported employment

1997 NATIONAL HEALTH INTERVIEW SURVEY

difficulty remembering

experience periods of confusion

be uncooperative

be agreeable

often seems worried

depression

anxiety

emotional problems

sadness interferes with your life

sadness interferes with your activities

feel hopeless

feel so sad that nothing could cheer you up

feel that everything is an effort

feel worthless

how satisfied with your life

how often feel nervous

has many fears

easily scared

unhappy

fearful

headaches

stomach-aches

lies or cheats

steals from home or school

good attention span easily distracted concentration wanders Attention Deficit Hyperactivity Disorder feel restless or fidgety constantly squirming restless overactive cannot sit still for long temper tantrums hot temper thinks things out before acting do your difficulties with emotions upset your child school health professional told you that child had learning disability difficulty pushing or pulling large objects like a living room chair difficulty walking a quarter of a mile--about 3 city blocks difficulty walking 10 steps without resting is child picked on or bullied by other children is child kind to younger children does child fight with other children does child bully other children is child helpful if someone is hurt or upset does child get along better with adults than with other children does child have at least one good friend is child generally liked by other children does child often offer to help others is child considerate of other people's feelings is child solitary would child rather be alone does child share readily with others participate in social activities visit friends attend clubs and meetings go to parties special equipment special telephone special bed get together with relatives get the social support you need

NATIONAL HEALTH AND NUTRITION EXAMINATION SURVEY

health professional told you/sample person have a learning disability been physically cruel to an animal on purpose broken into a house, building or car

talk with neighbors on the telephone

broken something on purpose (slash tire, write on building)

lied to get money

shoplifted

snatched someone's purse or jewelry

stolen anything from anyone else

attention deficit disorder

experience periods of confusion

difficulty stooping, crouching or kneeling

difficulty standing up from an armless straight chair

difficulty sitting for 2 hours

difficulty using fingers to grasp or handle small objects

bicycled as a part of getting to work

difficulty dressing

typing shoes

working zippers

doing buttons

holding fork

drinking from a glass

difficulty doing chores around the house

dusting

sweeping

vacuuming

straightening up

expelled from school for misbehavior

difficulty relaxing at home for leisure

reading

watching TV

sewing

listening to music

difficulty going out to movies

difficulty going out to sporting events

do physical activities designed to strengthen muscles

lift weights

push-ups

sit-ups

activities for at least 10 minutes to cause heavy sweating, increase in breathing or heart rate

use special eating utensils

participate in social activities

visiting friends

attending clubs or meetings

going to parties

use aids or devices to help you dress

use special eating utensils

use special equipment

use cane

use wheelchair
use special bed
use special telephone
how many close friends do you have
count on anyone to provide you with emotional support such as talking over problems
helping you make a difficult decision
watch TV or videos